

Index

Run. No.	Document	Page	Product	Changes	Change time
2023-09-13	Catalog, Pricelist	1/23	U-bolt	Part-No. got replaced: 0507028 -> 050702801 the new one is 5 mm longer	directly
	Catalog, Pricelist	2/48	Joint holder with base plate	Will be replaced by joint holder with plate v/h	directly
	Catalog	3c/2	Spring insulator FH 2	Loadrange increased to 9545 N	directly
	Catalog	5/6	Pendular bolt joint M10/M10	New length and new wrench size	after sale
	Catalog, Pricelist	5/18	Hexagon-woodscrew	New product	directly
	Catalog, Pricelist	7/3	Brass expansion anchor	Part-No. 2060035 will be deleted from the programm	directly
	Catalog	7/6	Bolt anchor	The dowels with size 8 also have a seismic certificate	directly
2023-04-01	Catalog, Pricelist	1/7 - 1/8	Omnia MB	Clamping range 84 - 89 mm changed in 84 - 90 mm	directly
	Catalog, Pricelist	1/22	U-bolt	Part-No. got replaced: 0507022 -> 050702201 the new one is 5 mm longer	directly
	Catalog, Pricelist	2/3, 2/20, 2/21	C-profile rails	Change of the packaging unit	from 01.04.2023
	Catalog, Pricelist	2/49	Joint holder	Part-No. 08120600 and 08121100 got replaced by 08120601	after sale
	Catalog, Pricelist	2/49	Joint holder with terminal hole	Partl-No. got replaced: 0812072 -> 081207201 0812080 -> 081208001 0812177 -> 081217701	after sale
	Catalog, Pricelist	4/4	Spline end	will be deleted from the program	directly
	Catalog, Pricelist	4/11	Suspended bracket	Part-No. 07709902 got replaced by 07709903	directly
	Catalog, Pricelist	5/8	Distance angle	Change of the packaging unit	directly
	Katalog, Preisliste	5/11	Threaded coupling	Part-No. got replaced: 0700084 -> 0700085 0700104 -> 0700105	directly
	Catalog, Pricelist	5/17	Bolt screw	will be deleted from the program	directly
	Catalog, Pricelist	5/18	Wood screw with washer	Part-No. 3500012 got replaced by 350001218	directly
	Catalog, Pricelist	8/16	C-profile lining	Section for Stex 35 new in catalogue	directly
	Catalog, Pricelist	13/23	Clamping bow	Change of the packaging unit	directly
	Catalog, Pricelist	13/27	Base plate	Change in dimensions of Type III	directly
	Catalog, Pricelist	13/30	Double nipples	will be deleted from the program	directly
	Catalog, Pricelist	14/16	CENTUM angle coupler	will be deleted from the program	directly
	Catalog, Pricelist	14/25	CENTUM protecting cap	Our protecting caps for XL 80 hast a new design and a new Part-No.	directly

Index

Run. No.	Document	Page	Product	Changes	Change time
2022-07-01	Catalog, Pricelist	1/23	U-Bolt	Part-Numbers will be replaced: 0507035 -> 050703501 0507042 -> 050704201 0507048 -> 050704801 0507140 -> 050714001 those are 5 mm longer	directly
	Catalog, Pricelist	7/4 - 7/5	Concrete screw R-LX	will be deleted from the program	directly
	Catalog, Pricelist	7/4 - 7/5	Concrete screw TSM	will be deleted from the program	directly
	Catalog, Pricelist	12/5	Sprinkler pipe clamp "SP"	Dimension 324 is new	directly
	Catalog, Pricelist	13/25	Slider GL 100	Change of material to V4A. The values of the loads have been adjusted	directly
	Catalog, Pricelist	14/9	Roof top holder XL 80	New Product	directly
2021-12-14	Catalog, Pricelist	1/23	U-Bolt	Part-No. 0507114 / 0507168 will be replaced by 050711401 / 050716801 - those are 5 mm longer	directly
	Catalog, Pricelist	1/24	Pipe clamp Clipstar	Dimension 28 will be deleted from the program	directly
	Catalog, Pricelist	2/40	Sound-decoupling set v/h holder 45	New product	directly
	Catalog, Pricelist	3a/11	Sound-decoupling set K	Part-no. 077034002 (new for tension loads) replaces part-no. 077034001	after purchase
	Catalog, Pricelist	3a/12	Fixpoint type FGL	Part-no.. 999770001 (new for tension loads) replaces part-no. 9997700	after purchase
	Catalog, Pricelist	5/11	Threaded coupling with inspection slot	will be deleted from the program	directly
	Catalog, Pricelist	7/4	Concrete screw R-LX	Seismic note	directly
	Catalog, Pricelist	8/9 - 8/10	Wire rope L-Fix	Extension by the variants trapeze hook, connector axial and tangential	directly
	Catalog, Pricelist	13/16	Corner plate	V2A will be deleted from the program, a new version with elongated holes in V4A	directly
	Catalog, Pricelist	13/17	Angle 40/5	3-hole and 4-hole new version with elongated holes	directly
	Catalog, Pricelist	13/19	Holder 45	new version with elongated holes	directly
	Catalog, Pricelist	13/32	Hexagon screw	M8x20 in V4A will be deleted from the program	directly
	Catalog, Pricelist, HD+IA- Catalog	Catalog 14/20, HD+IA 2/2	CENTUM® Z-guides	new version replaces both old versions, clamping thickness 16 mm	after purchase
	Catalog, Pricelist, HD+IA- Catalog	Catalog 14/20, HD+IA 2/2	CENTUM® Sliding stripe	will be replaced with new version. According to new Z-guide.	after purchase

Index

Run. No.	Document	Page	Product	Changes	Change time
	Catalog, Pricelist, HD+IA-Catalog	Catalog 14/21, HD+IA 2/3	CENTUM® Z-guide Set with U-bolt	new versions for XL120	directly
	Catalog, Pricelist	Catalog 14/24, HD+IA 1/5	CENTUM® Protecting cap	new look and new part-no. of our protecting caps.	directly
	Catalog, Pricelist, HD+IA-Catalog	Catalog 14/40, HD+IA 1/40	CENTUM® Square profile Load values	new loads for XL 200 because of a new steel grade	directly
	HD+IA-Catalog	1/12	CENTUM® connecting plate	new product	directly
	HD+IA-Catalog	1/30	CENTUM® girder clamping	new part-no.	directly
	HD+IA-Catalog	1/39	CENTUM® Wall- and roof bushing. Variable version now with Holder connection instead of rail section	New versions with new part-no.	directly
	HD+IA-Catalog	2/5	CENTUM® Sliding base, standing	Version for XL80	directly
	HD+IA-Catalog	2/6	Guide rail for sliding sledge, hanging	new product	directly
	HD+IA-Catalog	2/7 - 2/14	Sliding support	New versions with new part-no.	directly
	HD+IA-Catalog	2/15-2/22	Sliding sledge	New versions with new part-no.	directly
	HD+IA-Catalog	2/23	Sliding support as fixpoint	new product	directly
	HD+IA-Catalog	3/13	Locking lip adaptor	will be deleted from the program of the heavy-duty and industrial application catalog	directly
	HD+IA-Catalog	4/13	Hexagon screw	2 new dimensions	directly
2021-08-17		1/23	U-bolt	Part-No. 0507060 and 0507076 will be deleted from the program. Replacement: 050706001 and 050707601. Overall height now 5mm longer	directly
		2/50	Carrier console 36/40	will be replaced with carrier console 45/45	directly
		2/41	Rooftop holder BigFoot wedge	The wedges 2,5° and 5° will be replaced with wedge 4°	directly
		7/4	Concrete screw R-LX	The concrete screws with sleeve M8 and M10 will be replaced with a concrete screw with sleeve M8/M10	directly
		8/9	Wire rope L-Fix Toggle	New product	directly
		13/18	Knot triangle	Part-No. 0481407 and 0480407 will be replaced with 048140701 and 048040701. The distances between the holes now correspond to the steel versions	directly

Index

Run. No.	Document	Page	Product	Changes	Change time
		14/4	CENTUM profile	Loads of the CENTUM Profile XL200 have been adapted to the yield strength S235	directly
		14/18	CENTUM Thread connector XL 80	New load values	directly
		14/7	CENTUM Connector	Part-No. 164005010 and 1640805010 will be replaced with 1640005011. CENTUM Connector can now be used universally for all CENTUM profiles	directly