

## Index

| Run. No.          | Document           | Page            | Product                         | Changes                                                                                   | Change time        |
|-------------------|--------------------|-----------------|---------------------------------|-------------------------------------------------------------------------------------------|--------------------|
| <b>2024-01-03</b> | Catalog, Pricelist | 2/24            | Tooth plate S                   | Part no. got replaced:<br>0818101 -> 081810102                                            | directly           |
|                   | Catalog, Pricelist | 2/42            | Rooftop holder Big Foot 305     | Part no. got replaced:<br>08197600 -> 08197606<br>Now with the pad glued on               | directly           |
|                   | Catalog, Pricelist | 2/42            | Rubber wedge Big Foot 450       | Part no. got replaced:<br>08197616 -> 08197617<br>The inclination changes from 4° to 2.5° | directly           |
|                   | Catalog, Pricelist | 2/43            | Joint adapter for Big FOOT® 305 | new product                                                                               | directly           |
|                   | Catalog, Pricelist | 4/4             | Sliding element radial-axial    | Part no. got replaced:<br>0779973 -> 077997301                                            | directly           |
|                   | Catalog, Pricelist | 8/18            | Duct sealing tape               | New product, part no. 725111206                                                           | directly           |
|                   | Catalog, Pricelist | 13/27           | Base plates                     | Part no. 0598701 and 0599701<br>will be deleted from the program                          | directly           |
|                   | Catalog, Pricelist | 13/31           | Allen head cap screw            | Change in packing for part no.<br>3445220 and 3445201                                     | directly           |
|                   | Catalog, Pricelist | 14/5            | T-lock plus                     | new product                                                                               | directly           |
|                   | Catalog, Pricelist | 14/6            | T-lock head                     | Renaming in T-lock                                                                        | directly           |
|                   | Catalog, Pricelist | 1/23            | U-bolt                          | Part-No. got replaced:<br>0507028 -> 050702801<br>the new one is 5 mm longer              | directly           |
| <b>2023-09-13</b> | Catalog, Pricelist | 2/48            | Joint holder with base plate    | Will be replaced by joint holder<br>with plate v/h                                        | directly           |
|                   | Catalog            | 3c/2            | Spring insulator FH 2           | Loadrange increased to 9545 N                                                             | directly           |
|                   | Catalog            | 5/6             | Pendular bolt joint M10/M10     | New length and new wrench size                                                            | after sale         |
|                   | Catalog, Pricelist | 5/18            | Hexagon-woodscrew               | New product                                                                               | directly           |
|                   | Catalog, Pricelist | 7/3             | Brass expansion anchor          | Part-No. 2060035 will be deleted<br>from the programm                                     | directly           |
|                   | Catalog            | 7/6             | Bolt anchor                     | The dowels with size 8 also have<br>a seismic certificate                                 | directly           |
|                   | Catalog, Pricelist | 1/7 - 1/8       | Omnia MB                        | Clamping range 84 - 89 mm<br>changed in 84 - 90 mm                                        | directly           |
| <b>2023-04-01</b> | Catalog, Pricelist | 1/22            | U-bolt                          | Part-No. got replaced:<br>0507022 -> 050702201<br>the new one is 5 mm longer              | directly           |
|                   | Catalog, Pricelist | 2/3, 2/20, 2/21 | C-profile rails                 | Change of the packaging unit                                                              | from<br>01.04.2023 |
|                   | Catalog, Pricelist | 2/49            | Joint holder                    | Part-No. 08120600 and 08121100<br>got replaced by 08120601                                | after sale         |
|                   | Catalog, Pricelist | 2/49            | Joint holder with terminal hole | Partl-No. got replaced:<br>0812072 -> 081207201                                           | after sale         |
|                   | Catalog, Pricelist | 4/4             | Spline end                      | will be deleted from the program                                                          | directly           |
|                   | Catalog, Pricelist | 4/11            | Suspended bracket               | Part-No. 07709902 got replaced<br>by 07709903                                             | directly           |
|                   | Catalog, Pricelist | 5/8             | Distance angle                  | Change of the packaging unit                                                              | directly           |

## Index

| Run. No.          | Document            | Page      | Product                                | Changes                                                                                                                                                 | Change time    |
|-------------------|---------------------|-----------|----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
|                   | Katalog, Preisliste | 5/11      | Threaded coupling                      | Part-No. got replaced:<br>0700084 -> 0700085<br>0700104 -> 0700105                                                                                      | directly       |
|                   | Catalog, Pricelist  | 5/17      | Bolt screw                             | will be deleted from the program                                                                                                                        | directly       |
|                   | Catalog, Pricelist  | 5/18      | Wood screw with washer                 | Part-No. 3500012 got replaced by 350001218                                                                                                              | directly       |
|                   | Catalog, Pricelist  | 8/16      | C-profile lining                       | Section for Stex 35 new in catalogue                                                                                                                    | directly       |
|                   | Catalog, Pricelist  | 13/23     | Clamping bow                           | Change of the packaging unit                                                                                                                            | directly       |
|                   | Catalog, Pricelist  | 13/27     | Base plate                             | Change in dimensions of Type III                                                                                                                        | directly       |
|                   | Catalog, Pricelist  | 13/30     | Double nipples                         | will be deleted from the program                                                                                                                        | directly       |
|                   | Catalog, Pricelist  | 14/16     | CENTUM angle coupler                   | will be deleted from the program                                                                                                                        | directly       |
|                   | Catalog, Pricelist  | 14/25     | CENTUM protecting cap                  | Our protecting caps for XL 80 hast a new design and a new Part-No.                                                                                      | directly       |
|                   | Catalog, Pricelist  | 1/23      | U-Bolt                                 | Part-Numbers will be replaced:<br>0507035 -> 050703501<br>0507042 -> 050704201<br>0507048 -> 050704801<br>0507140 -> 050714001<br>those are 5 mm longer | directly       |
| <b>2022-07-01</b> | Catalog, Pricelist  | 7/4 - 7/5 | Concrete screw R-LX                    | will be deleted from the program                                                                                                                        | directly       |
|                   | Catalog, Pricelist  | 7/4 - 7/5 | Concrete screw TSM                     | will be deleted from the program                                                                                                                        | directly       |
|                   | Catalog, Pricelist  | 12/5      | Sprinkler pipe clamp "SP"              | Dimension 324 is new                                                                                                                                    | directly       |
|                   | Catalog, Pricelist  | 13/25     | Slider GL 100                          | Change of material to V4A. The values of the loads have been adjusted                                                                                   | directly       |
|                   | Catalog, Pricelist  | 14/9      | Roof top holder XL 80                  | New Product                                                                                                                                             | directly       |
|                   |                     |           |                                        |                                                                                                                                                         |                |
|                   | Catalog, Pricelist  | 1/23      | U-Bolt                                 | Part-No. 0507114 / 0507168 will be replaced by 050711401 / 050716801 - those are 5 mm longer                                                            | directly       |
| <b>2021-12-14</b> | Catalog, Pricelist  | 1/24      | Pipe clamp Clipstar                    | Dimension 28 will be deleted from the program                                                                                                           | directly       |
|                   | Catalog, Pricelist  | 2/40      | Sound-decoupling set v/h holder 45     | New product                                                                                                                                             | directly       |
|                   | Catalog, Pricelist  | 3a/11     | Sound-decoupling set K                 | Part-no. 077034002 (new for tension loads) replaces part-no. 077034001                                                                                  | after purchase |
|                   | Catalog, Pricelist  | 3a/12     | Fixpoint type FGL                      | Part-no.. 999770001 (new for tension loads) replaces part-no. 9997700                                                                                   | after purchase |
|                   | Catalog, Pricelist  | 5/11      | Threaded coupling with inspection slot | will be deleted from the program                                                                                                                        | directly       |
|                   | Catalog, Pricelist  | 7/4       | Concrete screw R-LX                    | Seismic note                                                                                                                                            | directly       |

## Index

| Run. No. | Document                          | Page                      | Product                                                                                             | Changes                                                                               | Change time    |
|----------|-----------------------------------|---------------------------|-----------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----------------|
|          | Catalog, Pricelist                | 8/9 - 8/10                | Wire rope L-Fix                                                                                     | Extension by the variants trapeze hook, connector axial and tangential                | directly       |
|          | Catalog, Pricelist                | 13/16                     | Corner plate                                                                                        | V2A will be deleted from the program, a new version with elongated holes in V4A       | directly       |
|          | Catalog, Pricelist                | 13/17                     | Angle 40/5                                                                                          | 3-hole and 4-hole new version with elongated holes                                    | directly       |
|          | Catalog, Pricelist                | 13/19                     | Holder 45                                                                                           | new version with elongated holes                                                      | directly       |
|          | Catalog, Pricelist                | 13/32                     | Hexagon screw                                                                                       | M8x20 in V4A will be deleted from the program                                         | directly       |
|          | Catalog, Pricelist, HD+IA-Catalog | Catalog 14/20, HD+IA 2/2  | CENTUM® Z-guides                                                                                    | new version replaces both old versions, clamping thickness 16 mm                      | after purchase |
|          | Catalog, Pricelist, HD+IA-Catalog | Catalog 14/20, HD+IA 2/2  | CENTUM® Sliding stripe                                                                              | will be replaced with new version. According to new Z-guide.                          | after purchase |
|          | Catalog, Pricelist, HD+IA-Catalog | Catalog 14/21, HD+IA 2/3  | CENTUM® Z-guide Set with U-bolt                                                                     | new versions for XL120                                                                | directly       |
|          | Catalog, Pricelist                | Catalog 14/24, HD+IA 1/5  | CENTUM® Protecting cap                                                                              | new look and new part-no. of our protecting caps.                                     | directly       |
|          | Catalog, Pricelist, HD+IA-Catalog | Catalog 14/40, HD+IA 1/40 | CENTUM® Square profile Load values                                                                  | new loads for XL 200 because of a new steel grade                                     | directly       |
|          | HD+IA-Catalog                     | 1/12                      | CENTUM® connecting plate                                                                            | new product                                                                           | directly       |
|          | HD+IA-Catalog                     | 1/30                      | CENTUM® girder clamping                                                                             | new part-no.                                                                          | directly       |
|          | HD+IA-Catalog                     | 1/39                      | CENTUM® Wall- and roof bushing. Variable version now with Holder connection instead of rail section | New versions with new part-no.                                                        | directly       |
|          | HD+IA-Catalog                     | 2/5                       | CENTUM® Sliding base, standing                                                                      | Version for XL80                                                                      | directly       |
|          | HD+IA-Catalog                     | 2/6                       | Guide rail for sliding sledge, hanging                                                              | new product                                                                           | directly       |
|          | HD+IA-Catalog                     | 2/7 - 2/14                | Sliding support                                                                                     | New versions with new part-no.                                                        | directly       |
|          | HD+IA-Catalog                     | 2/15-2/22                 | Sliding sledge                                                                                      | New versions with new part-no.                                                        | directly       |
|          | HD+IA-Catalog                     | 2/23                      | Sliding support as fixpoint                                                                         | new product                                                                           | directly       |
|          | HD+IA-Catalog                     | 3/13                      | Locking lip adaptor                                                                                 | will be deleted from the program of the heavy-duty and industrial application catalog | directly       |
|          | HD+IA-Catalog                     | 4/13                      | Hexagon screw                                                                                       | 2 new dimensions                                                                      | directly       |

## Index

| Run. No.          | Document | Page  | Product                       | Changes                                                                                                                                          | Change time |
|-------------------|----------|-------|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
|                   |          | 1/23  | U-bolt                        | Part-No. 0507060 and 0507076 will be deleted from the program. Replacement: 050706001 and 050707601. Overall height now 5mm longer               | directly    |
| <b>2021-08-17</b> |          | 2/50  | Carrier console 36/40         | will be replaced with carrier console 45/45                                                                                                      | directly    |
|                   |          | 2/41  | Rooftop holder BigFoot wedge  | The wedges 2,5° and 5° will be replaced with wedge 4°                                                                                            | directly    |
|                   |          | 7/4   | Concrete screw R-LX           | The concrete screws with sleeve M8 and M10 will be replaced with a concrete screw with sleeve M8/M10                                             | directly    |
|                   |          | 8/9   | Wire rope L-Fix Toggle        | New product                                                                                                                                      | directly    |
|                   |          | 13/18 | Knot triangle                 | Part-No. 0481407 and 0480407 will be replaced with 048140701 and 048040701. The distances between the holes now correspond to the steel versions | directly    |
|                   |          | 14/4  | CENTUM profile                | Loads of the CENTUM Profile XL200 have been adapted to the yield strength S235                                                                   | directly    |
|                   |          | 14/18 | CENTUM Thread connector XL 80 | New load values                                                                                                                                  | directly    |
|                   |          | 14/7  | CENTUM Connector              | Part-No. 164005010 and 1640805010 will be replaced with 1640005011. CENTUM Connector can now be used universally for all CENTUM profiles         | directly    |
|                   |          |       |                               |                                                                                                                                                  |             |